

# EC DECLARATION OF CONFORMITY

Manufacturer: Wall Box Chargers, S.L.

Address: Paseo Castellana, 95 - PLT 28, Madrid, 28046 , Madrid

Type of Product: Electric vehicle conductive charging system

Product Identification: Wallbox Commander 2  
(Code variants listed on the Annex I)

The undersigned declares, on behalf of Wallbox Chargers S.L., that the products referenced in this document, when subject to correct installation, maintenance and method of use, according to applicable regulations and standards in the country where they are installed, are in conformity with the relevant Union harmonisation legislation:

Low Voltage Directive 2014/35/EU  
EMC Directive 2014/30/EU  
WEEE Directive 2012/19/EU  
RoHS Directive 2011/65/EU

Based on the provisions of the following international standards:  
IEC 61851-1:2010 (LVD)  
IEC 61851-22:2001 (LVD+EMC)

In accordance to the to the relevant harmonised standards:  
EN 61851-1:2011  
EN 61851-22:2002

This declaration certifies de conformity to the specified directives but contains no assurance of properties.

Any modifications on the product manufactured specifications lay out this declaration. Any modifications on this document implies the assumption of an intrinsic legal fraud.

The declaration of conformity is issued under the sole responsibility of the manufacturer.



*Signature, Name, Function*  
Joaquim Castellví, Compliance Manager

*Place, Date*  
Barcelona, 06.04.2021

# ANNEX I

|                                       | Abbreviation   | Definition  |
|---------------------------------------|--|---|
| STRUCTURE CODE                        |  | <u>XXXX-X-X-X-XXX-X</u><br>1 2.3 4 5 6 7  |
| 1-MODEL<br>(4 Characters)             | CMX2   | Commander 2   |
| 2-CABLE<br>(1 Character)              | 0<br>L<br>M<br>N<br>S<br>W                               | 5 meters length<br>10 meters length<br>7 meters length<br>No cable<br>Socket<br>Shutter Socket  |
| 3-EVC<br>(1 Character)                | 1<br>2<br>G<br>N   | Type 1<br>Type 2/Socket<br>GB/T<br>No EVC   |
| 4-POWER<br>(1 Character)              | 1<br>2<br>3<br>4   | 3.7 kW<br>7,4 kW<br>11kW<br>22kW  |
| 5-Additional Feature<br>(1 Character) | 0<br>3<br>4<br>5<br>D<br>P<br>E<br>N<br>8<br>9<br>F<br>C | Standard<br>DC Leakage<br>RFID<br>DC Leakage + RFID<br>Dummy<br>Power Sharing (Pulsar Only)<br>Earthing detection (UK) + DC Leakage<br>NEMA 14-50P (fixed power supply)<br>DC Leakage + RFID + OCPP<br>DC Leakage + OCPP<br>Earthing detection (UK) + DC Leakage + OCPP<br>Hardwired Input + OCPP |

|                            |     |  |
|----------------------------|-----|--|
|                            | G   | NEMA 14-50P + OCPP   |
| 6-CUSTOM<br>(3 Characters) | XXX | Customer Versions, Not relevant for EU declaration of conformity |
| 7-REVISION                 | X   | Revision Number  |